

TECHNICAL BULLETIN

REFERENCE SHEET

Product Line	Specification Reference
4" - 60" C 900, One Piece, and Dual Durometer	A, C, D, E, J
1 ½" - 36" IPS	B, C, D, E, J
4" - 24" Molecularly Oriented	C, D, E, F, K
4" - 15" Sewer and Retained Ring Sewer	E, G, I, L
18" - 48" Large Diameter Sewer	E, H, I, L
Ductile Iron Pressure	M

Specifications

S&B Gaskets are manufactured to and fully comply with or exceed the following standards and specifications.

Pressure Pipe:

- A. ANSI/AWWA C900 Standard For Polyvinyl Chloride (PVC) Pressure Pipe And Fabricated Fittings, 4" through 60".
- B. ASTM D2241 Standard Specification for Polyvinyl Chloride (PVC) Pressure Rated Pipe (SDR Series).
- c. ASTM D3139 Standard Specification for Joints for Plastic Pressure Pipe Using Flexible Elastomeric Seals.
- D. NSF/ANSI 61 Drinking Water Systems components Health Effects.
- E. ASTM F477 Standard Specifications for Elastomeric Seal (Gaskets) for Joining Plastic Pipe.
- F. ANSI/AWWA C909 Standard For, Molecularly Oriented Polyvinyl Chloride (PVCO) Pipe, 4" and larger for Water, Wastewater and Reclaimed Water Service.

Non-Pressure Pipe:

- G. ASTM D3034 Standard Specification for Type PSM Polyvinyl Chloride (PVC) Sewer Pipe and Fittings.
- H. ASTM D679 Standard Specification for Polyvinyl Chloride (PVC) Large-Diameter Plastic Gravity Sewer Pipe and Fittings.
- ASTM D3212 Standard Specification for Joints for Drain and Sewer Plastic Pipes Using Flexible Elastomeric Seals

CSA International:

- J. CAN/CSA B137.3 Rigid Polyvinyl Chloride (PVC) Pipe for Pressure Applications.
- к. CAN/CSA B137.3.1 Molecularly Oriented Polyvinylchloride (PVCO) pipe for pressure applications
- L. CAN/CSA B1800 Thermoplastic Non Pressure Piping Compendium (Consists of B181.1, B181.2, B181.5, B182.1, B182.2, B182.4, B182.6, B182.8. B182.11, and B182.13).
 - CAN/CSA B182.1, Plastic Drain and Sewer Pipe and Fittings.
 - CAN/CSA B182.2, PVC Sewer Pipe and Fittings (PSM Type).
 - CAN/CSA B182.4, Profile (Ribbed) Sewer Pipe and Fittings.
 - CAN/CSA B182.6, Profile Polyethylene Sewer Pipe and Fittings.
 - CAN/CSA B182.7, Multi-layer PVC Sewer Pipe (PSM Type) having Reprocessed-Recycled Content.

Ductile Iron Pressure Pipe:

M. ANSI/AWWA C111/A21.11 – Standard For Rubber-Gaskets Joints For Ductile-Iron Pressure Pipe and Fittings and ASTM C56 Standard Specification for Rubber Gaskets for Cast Iron Soil Pipe and Fittings.

Version: 08/2018